



Material Type: CERAMIC

Type of Testing: BEND, FLEXURAL, 3 AND 4 POINT

FULLY ARTICULATING THREE AND FOUR POINT FLEXURE FIXTURE





Model No. ASTM.C1161.70 Specimen Size or Difference Between Fixtures
See Below

Construction
Stainless steel

<u>Temperature</u> -240 to 600°F (-152 to 318°C)

Specimen: Width Up to 2"
Thickness Up to 1"

Length Up to 10"

Fixture: Mounting Top: 1.25" male clevis

Bottom:1/2"-20 coupling 20,000 lbs (88.96 kN)

Capacity 20,000 lbs (88.96 l Weight 16 lbs Dimensions 8" x 2" x 10"

Standard Manufactured In compliance with ASTM C1161

QUOTE

Model No. ASTM.C1161.70 - Fully Articulating Three & Four Point Flexure Fixture

Specimen support spans adjustable up to 6". The rolling and pivoting specimen loading pins are 2" wide. Capacity: 20,000 lbs (88.96 kN) for ambient temperatures. Constructed from stainless steel. Manufactured in compliance with ASTM C1161.

Specimen supports: Incorporates a free rolling loading pin of 1" diameter. One of the supports is free to pivot as mush as 7° in either direction to provide complete seating and maximum specimen contact. The remaining support is fixed.

Lower Support Base: The support span is measured along a center finding scale located on the front surface of the 7" support base. The base may be used on a compression platen or mounted with the 1/2"-20 threaded coupling.

3 & 4 Point Loading Head: The 4 point loading head incorporates a free rolling loading pins of 1" diameter on each of the anvils. The 4 point loading head is adjustable to 2". The head is pivoted and may be allowed to float freely or can be locked rigid with a locking nut. The loading head is supplied with 1.25" male clevis pin type adapter with 1/2" diameter dowel pin hole.

ACCESSORIES

Model No. ACC.C1161.7001 - Set of (4) 9mm Rollers

Model No. ACC.C1161.7002 - Set of (3) Rockers and (1) Fixed Support for 9mm Rollers

Model No. ACC.C0067.1103 - Full Set of Replacement Supports and Rollers for 9mm Rollers

Model No. ACC.C1161.7004 - Set of (4) 2.5mm Radius Rollers

Model No. ACC.C1161.7005 - Set of (3) Rockers and (1) Fixed Support for 2.5mm Radius (5mm diameter) Rollers

Model No. ACC.C1161.7006 - Full Set of Replacement Supports and Rollers for 2.5mm Rollers

Model No. ACC.C1161.7007 - Set of (4) 3mm Rollers

Model No. ACC.C1161.7008 - Set of (3) Rockers and (1) Fixed Support for 3mm Rollers

Model No. ACC.C1161.7009 - Full Set of Replacement Supports and Rollers for 3mm Rollers

Model No. ACC.C1161.7010 - Set of (4) 4.5mm Rollers

Model No. ACC.C1161.7011 - Set of (3) Rockers and (1) Fixed Support for 4.5mm Rollers

Model No. ACC.C1161.7012 - Full Set of Replacement Supports and Rollers for 4.5mm Rollers

Model No. ACC.C1161.7013 - Set of (4) 20mm Rollers

Model No. ACC.C1161.7014 - Set of (3) Rockers and (1) Fixed Support for 20mm Rollers

Model No. ACC.C1161.7015 - Full Set of Replacement Supports and Rollers for 20mm Rollers

Model No. ACC.C1161.7016 - Set of (4) 5mm Rollers

Model No. ACC.C1161.7017 - Set of (3) Rockers and (1) Fixed Support for 5mm Rollers

Model No. ACC.C1161.7018 - Full Set of Replacement Supports and Rollers for 5mm Rollers

SPARE PARTS

Model No. SPA.C1161.7001 - Set of (4) 1" Rollers

Model No. SPA.C1161.7002 - Set of (3) Rockers and (1) Fixed Support for 1" Rollers

Model No. SPA.C1161.7003 - Full Set of Replacement Supports and Rollers for 1" Rollers

Model No. SPA.C1161.7004 - Replacement Top Rail

Model No. SPA.C1161.7005 - Replacement Bottom Rail

Model No. SPA.C1161.7006 - Replacement 1.25" Male Clevis to 1.25" Square Male Clevis Adapter

COMMON SIZE ADAPTERS

Upper Mounting: 1.25" Male Clevis

Model No. M03S60 - 1.25" Male Clevis to 2"-12 Threaded Stud Model No. M03S48 - 1.25" Male Clevis to 1.5"-12 Threaded Stud Model No. M03S42 - 1.25" Male Clevis to 1.25"-12 Threaded Stud Model No. M03S36 - 1.25" Male Clevis to 1"-14 Threaded Stud

Lower Mounting: 1/2"-20 Threaded Coupling

Model No. M01S21 - 1/2" Male Clevis to 1/2"-20 Threaded Stud Model No. M02S21 - 5/8" Male Clevis to 1/2"-20 Threaded Stud Model No. M03S21 - 1.25" Male Clevis to 1/2"-20 Threaded Stud Model No. M12S21 - 12mm Male Clevis to 1/2"-20 Threaded Stud Model No. S36S21 - 1"-14 to 1/2"-20 Threaded Step Stud Model No. LN21 - 1/2"-20 Threaded Locking Nut with Knurled OD